UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/902,185	07/10/2001	Yasser alSafadi	US010318	7534	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001			EXAM	EXAMINER	
			USTARIS,	USTARIS, JOSEPH G	
BRIARCLIFF	MANOR, NY 10510		ART UNIT PAPER NUMBER		
			2623		
•					
			MAIL DATE	DELIVERY MODE	
			08/03/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
		Application No.	Applicant(s)			
Office Action Summary		09/902,185	ALSAFADI ET AL.			
		Examiner	Art Unit			
		Joseph G. Ustaris	2623			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication, period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>13 June 2007</u> .					
,—	This action is FINAL . 2b)⊠ This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1,3-7 and 9-19 is/are pending in the a 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1,3-7 and 9-19 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.				
Applicati	on Papers	·				
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>15 March 2002</u> is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	a)⊠ accepted or b)☐ objected to drawing(s) be held in abeyance. Sec ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority (ınder 35 U.S.C. § 119					
12)[a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
	ce of References Cited (PTO-892)	4)				
3) Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	5) Notice of Informal F 6) Other:				

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 14, 2007 has been entered.

The 35 U.S.C. 101 rejection of claim 19 is now withdrawn in view of the amendments.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4-7, 9-14, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Humpleman et al. (US006243707B1) in view of Fontana et al. (US006167564A) and Knowles et al. (US006505348B1).

Regarding claim 1, Humpleman et al. (Humpleman) discloses a method where a home HTML/XML network program guide is produced from an original generic EPG or other various sources or "content-related information" (See column 4 lines 16-33,

Art Unit: 2623

column 22 lines 57-60, and column 23 lines 18-29). The home HTML/XML network program guide is built based on a standard program format incorporating HTML or XML standards or "reference information model", where information from the original generic EPG or other various sources is extracted and converted or "configuring" into the HTML/XML standard program format. Thus the end result of the process is a HTML/XML network program guide (See column 22 line 66 - column 23 line 5). Furthermore, "reference information model defines a set of requirements" (e.g. the HTML/XML network program guide requires the information to be EPG information and to be in a standard program format) (See column 22 line 66 - column 23 line 5), wherein "the set of requirements relating to at least one type of content" (e.g. the set of requirements relates to available programs of the DBSS on the EPG) (See column 23 lines 5-17). When the "content-related information satisfies the set of requirements" (e.g. when the original generic EPG or other various sources contain EPG information and is in a standard program format) then it is configured into the HTML/XML network program guide (See column 22 line 66 - column 23 line 17). The devices on the network have a session manager or "electronic program guide" program that is able to "process" the HTML/XML network program guide and display it to the user (See Fig. 10, programming; column 9 lines 35-52, column 17 lines 35-45, and column 18 lines 61-67). The HTML/XML network program guide can be processed by a session manager on a DTV or "electronic program guide of the first type" or by a session manager on a PC or "second electronic program guide of a second type different than the first type" (See column 6 lines 1-13 and column 23 lines 2-11). Furthermore, the HTML/XML network

Art Unit: 2623

program guide is "selectively extractable in accordance with the specified semantic and syntactic consensus", wherein the electronic program guide selectively extracts only the information that the user wants and displays the information following/agreeing with the meaning and syntax of the HTML/XML codes (See column 22 lines 60-65 and column 23 lines 9-11). However, Humpleman does not disclose (1) configuring the reference information object model in accordance with a unified modeling language format and (2) the reference information object model comprising a plurality of directly or indirectly interrelated classes having at least one specified property.

Page 4

- (1) Humpleman discloses that the HTML/XML network program guide can be developed using XML codes (See column 4 lines 16-33). Fontana et al. (Fontana) discloses various development tools used to develop various interfaces. Fontana utilizes the UML format when communicating/developing with client or "configuring in accordance with a unified modeling language format". Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the system disclosed by Humpleman to configure the reference information object model in accordance with a unified modeling language format, as taught by Fontana, in order to be in accordance with a well known and industry-standardized modeling language thereby ensuring greater compatibility and offering the capability of using object oriented programming.
- (2) Knowles et al. (Knowles) discloses an interactive electronic program guide system. Knowles discloses that the IPGs can be customized, wherein the format of the IPG can be changed. The IPG contains information on pay-per-view (PPV) and different

Themes of programming or "plurality of directly or indirectly interrelated classes having at least one specified property" (See Fig. 9). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the system disclosed by Humpleman to provide "plurality of directly or indirectly interrelated classes having at least one specified property", as taught by Knowles, in order to expand the capabilities of the HTML/XML network program guide by providing different types of information to the users.

Regarding claim 4, the PPV and Theme gives a list of times or "attributes" for the programs available (See Knowles Fig. 10 and column 5 lines 61-63).

Regarding claim 5, based on the guide customizations discussed in claims 1 and 4, the format of the IPG can provide additional information or "plurality of elements" such as movies or "classes" and a list of episodes or "enumeration elements".

Furthermore, the list of episodes or "enumeration elements" is associated with the movies or "classes", while the movies are also "associated" with other types of programs such as sports or "plurality of classes" (See Knowles Fig. 9 and Fig. 10).

Claim 6 contains the limitations of claim 5 (wherein the movies provide different programs or "program class element" or a list of movies or "remaining class elements", (See Knowles Fig. 10)) and is analyzed as previously discussed with respect to that claim.

Regarding claim 7, the IPG disclosed by Knowles further presents the Themes or "classes" as objects that can be seen from a screen, wherein some of the objects are listed or "oriented" in alphabetic order. Furthermore, the Themes or "classes" contain

Art Unit: 2623

additional information such as channel numbers or "attributes". The whole screen of the IPG contains different information elements or "structures" that enable the user to browse efficiently (See Knowles Fig. 10).

Regarding claim 9, the IPGs each could have their own configuration based on the guide customizations or "reference information model" thus producing different layouts or "schema" for each IPG (See Knowles column 7 lines 34-45), with the information being retrieved from the original generic EPG or "content-related information" as discussed in claim 1.

Claim 10 contains the limitations of claim 9 (wherein the IPGs or HTML/XML network program guides could have their own different layouts or "plurality of different schema" and be read or "processed" by the PC or DTV as discussed in claim 1) and is analyzed as previously discussed with respect to that claim.

Regarding claim 11 and 12, the HTML/XML network program guide is updated (thus producing a "subsequent version") based on the newly updated original generic EPG or "second set of data specifications". This process is an "iterative process" wherein the process, which performs the same steps each time to update the HTML network program guide, is repeated periodically (See Humpleman column 23 lines 7-11).

Regarding claim 13, the HTML/XML network program guide receives its information from a original generic EPG or "content-related information", where the original format of the original generic EPG is not complaint to the HTML standard program format or "reference information model", therefore the generic EPG is

Art Unit: 2623

converted or "transformed" into a HTML standard program format (See Humpleman column 22 line 66 – column 23 line 5).

Regarding claim 14, the original generic EPG is dependent on the DBSS and will inherently be read by the EPG program of the DSS-NIU or "electronic program guide of a type not based on the reference information model". Alternatively, the original generic EPG is converted into the HTML/XML standard program format or "second format" to produce a HTML/XML network program guide to be read by the session managers or "electronic program guide of the first type" on the network (See Humpleman Fig. 1; column 22 line 66 – column 23 line 17).

Claim 19 contains the limitations of claim 1 (where inherently system is operated by executing "one or more software programs stored on a computer-readable storage medium") and is analyzed as previously discussed with respect to those claims.

Claims 3 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Humpleman et al. (US006243707B1) in view of Fontana et al. (US006167564A) and Knowles et al. (US006505348B1) as applied to claims 1 and 13 above, and further in view of Kido (US 20020073081A1).

Regarding claim 3, Humpleman in view of Fontana and Knowles does not disclose a method where the generic EPG or "content-related information" is in an extensible mark-up language (XML).

Kido discloses a method where an EPG is generated and distributed to the client (See Fig. 8). The generated EPG or original generic EPG or "content-related

information" is produced using HTML or XML (See paragraph 0138). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the original generic EPG disclosed by Humpleman in view of Fontana and Knowles to be in an extensible mark-up language, as taught by Kido, so that the original generic EPG would be in accordance with a well known and established language thereby ensuring greater compatibility between the devices.

Regarding claim 15, the process of generating an EPG using XML, as taught by Kido, may be also applied in the conversion or "transforming" step discussed in claim 13 in order to continue the use of a well known and established language, thereby further ensuring greater compatibility.

Claims 16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Humpleman et al. (US006243707B1) in view of Fontana et al. and Kido (US 20020073081A1).

Regarding claim 16, Humpleman et al. (Humpleman) discloses a method where a home HTML/XML network program guide is produced from an original generic EPG or other various sources or "content-related information" (See column 4 lines 16-33, column 22 lines 57-60, and column 23 lines 18-29). The home HTML/XML network program guide is built based on a standard program format incorporating HTML or XML standards or "reference information model", where information from the original generic EPG or other various sources is extracted and converted or "configuring" into the HTML/XML standard program format. Thus the end result of the process is a

HTML/XML network program guide (See column 22 line 66 – column 23 line 5). Furthermore, "reference information model defines a set of requirements" (e.g. the HTML/XML network program guide requires the information to be EPG information and to be in a standard program format) (See column 22 line 66 - column 23 line 5), wherein "the set of requirements relating to at least one type of content" (e.g. the set of requirements relates to available programs of the DBSS on the EPG) (See column 23 lines 5-17). When the "content-related information satisfies the set of requirements" (e.g. when the original generic EPG or other various sources contain EPG information and is in a standard program format) then it is configured into the HTML/XML network program guide (See column 22 line 66 - column 23 line 17). The devices on the network have a session manager or "electronic program guide" program that is able to "process" the HTML/XML network program guide and display it to the user (See Fig. 10, programming; column 9 lines 35-52, column 17 lines 35-45, and column 18 lines 61-67). The HTML/XML network program guide can be processed by a session manager on a DTV or "electronic program guide of the first type" or by a session manager on a PC or "second electronic program guide of a second type different than the first type" (See column 6 lines 1-13 and column 23 lines 2-11). The HTML/XML network program guide is "selectively extractable in accordance with the specified semantic and syntactic consensus", wherein the electronic program guide selectively extracts only the information that the user wants and displays the information following/agreeing with the meaning and syntax of the HTML/XML codes (See column 22 lines 60-65 and column 23 lines 9-11). Furthermore, the home device or "processing device" produces a

Art Unit: 2623

HTML/XML network program guide or "corresponding output" that is sent to a client, e.g. a PC or Digital Television (DTV) or "devices associated with respective electronic program and second electronic program guides" (See Humpleman Fig 1. element 102 and 104). However, Humpleman does not disclose (1) configuring the reference information object model in accordance with a unified modeling language format and (2) where the generic EPG or "content-related information" is in an extensible mark-up language (XML).

Page 10

- (1) Humpleman discloses that the HTML/XML network program guide can be developed using XML codes (See column 4 lines 16-33). Fontana et al. (Fontana) discloses various development tools used to develop various interfaces. Fontana utilizes the UML format when communicating/developing with client or "configuring in accordance with a unified modeling language format". Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify the system disclosed by Humpleman to configure the reference information object model in accordance with a unified modeling language format, as taught by Fontana, in order to be in accordance with a well known and industry-standardized modeling language thereby ensuring greater compatibility and offering the capability of using object oriented programming.
- (2) Kido discloses a method where an EPG is generated and distributed to the client (See Fig. 8). The generated EPG or original generic EPG or "content-related information" is produced using HTML or XML (See paragraph 0138). Therefore, it would have been obvious to one with ordinary skill in the art at the time the invention was

Application/Control Number: 09/902,185 Page 11

Art Unit: 2623

made to modify the original generic EPG disclosed by Humpleman in view of Fontana and Knowles to be in an extensible mark-up language, as taught by Kido, so that the original generic EPG would be in accordance with a well known and established language thereby ensuring greater compatibility between the devices.

Claim 17 contains the limitations of claim 16 and is analyzed as previously discussed with respect to that claim. Furthermore, Humpleman discloses that the method discussed in claim 16 can be embodied as a satellite receiving terminal labeled as DSS-NIU or "processor apparatus" (See Humpleman Fig. 1 element 104). In addition, the DSS-NIU or home device can maintain its own respective program guide; therefore inherently the DSS-NIU or home device has a "memory" associated with it (See Humpleman column 23 lines 41-49).

Claim 18 contains the limitations of claim 16 and is analyzed as previously discussed with respect to that claim. Furthermore, Humpleman also discloses that the method discussed in claim 16 can be received or "implement" by a Digital TV, personal computer (PC) or client or "processor apparatus" (See Humpleman Fig. 1 element 102; column 23 lines 5-8). In addition, it is known that a PC inherently utilizes some type of "memory".

Response to Arguments

3. Applicant's arguments filed May 14, 2007 have been fully considered but they are not persuasive.

Applicant argues with respect to claims 1, 3-7, and 9-19 that Humpleman does not disclose that the set of requirements relates to at least one type of content.

However, upon further consideration and reading the claims in the broadest sense, Humpleman does meet that limitation of the claims. Humpleman discloses that the HTML/XML network program guide (reference information model) defines a set of requirements that relate to the available programs of the DBSS on the EPG (See col. 23 lines 5-17). Furthermore, Humpleman discloses that HTML/XML network program guides are set for various types of content (e.g. computer files, DVDs, CDs) (See col. 23 lines 18-29).

Applicant is reminded that although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph G. Ustaris whose telephone number is 571-272-7383. The examiner can normally be reached on M-F 7:30-5 PM; Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher S. Kelley can be reached on 571-272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/902,185 Page 13

Art Unit: 2623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JGU

July 31, 2007

SCOTT E. BELIVEAU PRIMARY PATENT EXAMINER